



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/516,376

11/30/2004

Gunter Gegner

PHDE020139US

1408

38107

7590

12/03/2008

PHILIPS INTELLECTUAL PROPERTY & STANDARDS  
595 MINER ROAD  
CLEVELAND, OH 44143

EXAMINER

HARRISON, CHANTE E

ART UNIT

PAPER NUMBER

2628

MAIL DATE

DELIVERY MODE

12/03/2008

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/516,376	<b>Applicant(s)</b> GEGNER ET AL.	
	<b>Examiner</b> CHANTE HARRISON	<b>Art Unit</b> 2628	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 11 November 2008.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-23 is/are pending in the application.
- 4a) Of the above claim(s) 1,5,8 and 10-15 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 2-4,6,7,9 and 16-23 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                     | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

### **DETAILED ACTION**

1. Applicant's request for reconsideration of the finality of the rejection of the last Office action is persuasive and, therefore, the finality of that action is withdrawn.

1. This action is responsive to communications: Amendment, filed on 11/11/08.

2. Claims 2-4, 6, 7, 9 and 16-23 are pending in the case. Claims 3, 4, 7, 20 and 22 are independent claims. Claims 6 and 20 have been amended. Claims 1, 5, 8, 10-15 are cancelled.

### ***Specification***

The following guidelines illustrate the preferred layout for the specification of a utility application. These guidelines are suggested for the applicant's use.

#### **Arrangement of the Specification**

As provided in 37 CFR 1.77(b), the specification of a utility application should include the following sections in order. Each of the lettered items should appear in upper case, without underlining or bold type, as a section heading. If no text follows the section heading, the phrase "Not Applicable" should follow the section heading:

- (a) TITLE OF THE INVENTION.
- (b) CROSS-REFERENCE TO RELATED APPLICATIONS.
- (c) STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT.
- (d) THE NAMES OF THE PARTIES TO A JOINT RESEARCH AGREEMENT.
- (e) INCORPORATION-BY-REFERENCE OF MATERIAL SUBMITTED ON A COMPACT DISC.
- (f) BACKGROUND OF THE INVENTION.
  - (1) Field of the Invention.
  - (2) Description of Related Art including information disclosed under 37 CFR 1.97 and 1.98.
- (g) BRIEF SUMMARY OF THE INVENTION.

Art Unit: 2628

- (h) BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING(S).
- (i) DETAILED DESCRIPTION OF THE INVENTION.
- (j) CLAIM OR CLAIMS (commencing on a separate sheet).
- (k) ABSTRACT OF THE DISCLOSURE (commencing on a separate sheet).
- (l) SEQUENCE LISTING (See MPEP § 2424 and 37 CFR 1.821-1.825. A "Sequence Listing" is required on paper if the application discloses a nucleotide or amino acid sequence as defined in 37 CFR 1.821(a) and if the required "Sequence Listing" is not submitted as an electronic document on compact disc).

### ***Claim Rejections - 35 USC § 112***

1. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

2. Claims 2, 4 and 22 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Claim 2 recites "enable substituting objects, starting with a highest hierarchical level". Applicant's Specification (p. 3, ll. 12-16) supports object substitution starting with the lowest hierarchical level. Claim 4 recites "placing patient monitors... on a patient" and "generating...objects... from a corresponding patient monitor", which is not disclosed in the Specification. Claim 22 recites "inputting data from... patient monitoring devices", "converting input data... into patient monitor information" and "generate... objects, each... containing information converted from the input data", which are features not supported by the Applicant's Specification.

***Claim Rejections - 35 USC § 102***

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claim 3 is rejected under 35 U.S.C. 102(b) as being anticipated by David McComb et al, US 6,111,573, 2000.

As per independent claim 3, McComb discloses optimizing the presentation on a display screen of objects of a user interface (Fig. 8) which can be freely positioned and scaled (col. 7, ll. 10-15; col. 9, ll. 61-65) by means of control elements by means of a predetermined calculation rule (i.e. layout rule) in such a manner that the objects can be automatically changed, in dependence on the object contents (col. 7, ll. 10-21; col. 10, ll. 12-14), selected preferred settings (col. 9, ll. 15-24) and available display resource on the display screen (col. 9, ll. 62-66), between a minimum readable size and a selected maximum size in such a manner that optimum filling of the available display screen surface is achieved (col. 10, ll. 13-20, 35-40; col. 11, ll. 55-65), while suppressing less important details of the object contents (col. 10, ll. 12-14, 20-24) and while changing the mode of display of the object contents and/or the object (col. 5, ll. 35-40; col. 9, ll. 25-40) as well as while avoiding mutual overlapping of the objects, wherein the objects are ordered in a hierarchy (col. 10, ll. 17-24), an ordering of the hierarchy of combined

Art Unit: 2628

objects can be changed (i.e. removing low priority graphic components) (col. 10, ll. 20-25).

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

3. Claim 2 and 22 are rejected under 35 U.S.C. 102(e) as being anticipated by R.

Hochstedler, US 6,707,476, 2004.

As per independent claim 22, discloses inputting data from a plurality of patient monitoring devices (col. 3, ll. 14-21); converting the input data from each of the monitoring devices into the patient monitoring information (col. 3, ll. 20-25); generating a plurality of objects (Fig. 2), each object containing the patient monitoring information converted from the input data from one of the monitoring devices (col. 3, ll. 25-35); positioning and scaling the objects in a group using a calculation rule (i.e. automatic switching of the layout to change the display of the control elements) (col. 1, ll. 55-67) in such a manner that the objects are automatically changeable (col. 1, ll. 55-67) in dependence on object contents (col. 1, ll. 55-58), selected settings (col. 1, ll. 40-45) and available display resources on a display screen while avoiding overlapping objects (Fig. 2); in respond to one of the objects ceasing to contain relevant patient monitoring information, automatically, without user intervention, substituting another object (col. 5,

Art Unit: 2628

ll. 20-30; 50-65) and repositioning and rescaling the displayed objects using the calculation rule (col. 4, ll. 4-11; col. 5, ll. 23-27).

As per dependent claim 2, Hochstedler discloses the objects are arranged within a fixed hierarchy (i.e. objects are weighted where the weighted objects have a priority) (col. 7, ll. 5-10; col. 6, ll. 54-55) in order to enable substitution (i.e. suppression) of objects, starting with the highest (i.e. interpreted as the lowest) hierarchical level (i.e. weight/priority is used in switching the layout of objects that no longer provide data, e.g. subtracted sensor or suppressed sensor data) (col. 7, ll. 40-45; col. 5, ll. 25-30).

### ***Claim Rejections - 35 USC § 103***

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 4, 6, 16-18 and are rejected under 35 U.S.C. 103(a) as being unpatentable over R. Hochstedler, US 6,707,476, 2004, and further in view of David McComb et al, US 6,111,573, 2000.

As per independent claim 4, Hochstedler discloses placing patient monitors on at least a

Art Unit: 2628

first patient and a second patient (col. 1, 8-10, 20-22; col. 3, ll. 20-25); generating a plurality of objects, each object containing patient monitoring information from a corresponding patient monitor (col. 1, ll. 10-15; col. 3, ll. 20-25); positioning and scaling the control elements with a predetermined calculation rule to (i.e. automatic switching of the layout to change the display of the control elements) (col. 1, ll. 55-67) form at least a first group of objects corresponding to the first patient and a second group of objects corresponding to the second patient (col. 1, ll. 19-25; col. 3, ll. 20-25) in such a manner that the objects can be automatically changed (col. 1, ll. 55-67) in dependence on object contents (col. 1, ll. 55-58), selected preferred settings (col. 1, ll. 40-45); displaying the objects in dependence on the available display resource in such a manner that optimum filling of the available display screen surface is achieved while avoiding mutual overlapping of the objects (Fig. 2); displaying the first and second groups of objects on a display device (col. 3, ll. 20-25).

Hochstedler fails to disclose the objects can be automatically changed, in dependence on the available display resource on the display screen between a minimum readable size and a selected maximum size in such a manner that optimum filling of the available display screen surface is achieved while avoiding mutual overlapping of the objects.

McComb discloses positioning and scaling (col. 7, ll. 10-15; col. 9, ll. 61-65) the control elements with a predetermined calculation rule (i.e. layout rule) in such a manner that the objects can be automatically changed, in dependence on the object contents (col. 7,



Art Unit: 2628

ll. 10-21; col. 10, ll. 12-14), selected preferred settings (col. 9, ll. 15-24) and available display resource on the display screen (col. 9, ll. 62-66), between a minimum readable size and a selected maximum size in such a manner that optimum filling of the available display screen surface is achieved (col. 10, ll. 13-20, 35-40; col. 11, ll. 55-65) as well as while avoiding mutual overlapping of the objects.

It would have been obvious to one of ordinary skill in the art at the time of invention to include McComb's automatically changing objects, in dependence on the available display resource on the display screen between a minimum readable size and a selected maximum size in such a manner that optimum filling of the available display screen surface is achieved while avoiding mutual overlapping of the objects with the method of Hochstedler because Hochstedler teaches automatically changing objects in dependence of system capabilities (col. 1, ll. 55-60) where the change in display of the objects fills the available display screen surface (Fig. 2).

One of ordinary skill in the art would have been motivated to include McComb's automatically changing objects, in dependence on the available display resource on the display screen between a minimum readable size and a selected maximum size in such a manner that optimum filling of the available display screen surface is achieved while avoiding mutual overlapping of the objects with the method of Hochstedler for the benefit of increased control of editing the display layout to meet user needs.

Art Unit: 2628

As per dependent claim 6, Hochstedler discloses objects can be automatically substituted among themselves (col. 1, ll. 37-65) as does McComb discloses objects can be automatically substituted among themselves (col. 10, ll. 24-30).

As per dependent claim 16, Hochstedler discloses with the cursor (i.e. pointing device) (col. 1, ll. 12-15), designating one of the objects (Fig. 2 "42"); and, temporarily enlarging the designated object (col. 3, ll. 60-65).

Hochstedler does not specifically disclose generating a cursor on the display screen. It would have been obvious to one of ordinary skill in the art to include generating a cursor on the display screen with the method of Hochstedler because Hochstedler discloses selecting control elements using mechanisms such as a pointing device, e.g. mouse. Official Notice is given that pointing device movement is well known to be echoed on the screen by movements of a cursor.

As per dependent claim 17, Hochstedler discloses in response to one of the objects ceasing to contain relevant patient monitoring information, automatically, without user intervention, substituting another object for the one object (col. 5, ll. 20-30; 50-65).

As per dependent claim 18, Hochstedler discloses when another object is substituted, automatically repositioning and rescaling the objects using the calculation rule (i.e. upon detecting change in system capabilities a new layout with new dimensions is substituted) (col. 4, ll. 4-11; col. 5, ll. 23-27).

Art Unit: 2628

3. Claims 7, 9, 20 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over David McComb et al, US 6,111,573, 2000, and further in view of R. Hochstedler, US 6,707,476, 2004.

As per dependent claim 7, McComb discloses the presentation on a display screen of objects of a user interface (Fig. 8) which can be freely positioned and scaled (col. 7, ll. 10-15; col. 9, ll. 61-65) by means of control elements by means of a predetermined calculation rule (i.e. layout rule) in such a manner that the objects can be automatically changed, in dependence on the object contents (col. 7, ll. 10-21; col. 10, ll. 12-14), selected preferred settings (col. 9, ll. 15-24) and available display resource on the display screen (col. 9, ll. 62-66), between a minimum readable size and a selected maximum size in such a manner that optimum filling of the available window, e.g. object, is achieved (col. 10, ll. 13-20, 35-40; col. 11, ll. 55-65), while suppressing less important details of the object contents (col. 10, ll. 12-14, 20-24) and while changing the mode of display of the object contents and/or the object (col. 5, ll. 35-40; col. 9, ll. 25-40) as well as while avoiding mutual overlapping of the objects wherein the contents of an object contain graphic information (col. 4, ll. 12-16) commands and various options for processing/manipulation (fig. 5; col. 10, ll. 25-35) wherein the objects can temporarily be displayed in enlarged form (col. 4, ll. 53-57; col. 5, ll. 2-10).

McComb fails to disclose optimally filling the available display screen surface and wherein the contents of an object contain static information as well as dynamically variable information.

Art Unit: 2628

Hochstedler discloses wherein the contents of an object contain static information as well as dynamically variable information (col. 1, ll. 15-35).

McComb also fails to specifically disclose temporarily enlarging objects in dependence on a given trigger signal which is produced by a control element which is defined by object selection/object marking, which Hochstedler discloses (col. 1, ll. 12-15; Fig. 2 "42"; col. 3, ll. 60-65).

It would have been obvious to one of ordinary skill in the art to include optimally filling the available display screen surface with the method of McComb because McComb discloses a plurality of window regions that can be changed in size and appearance for arrangement on the display (col. 2, ll. 57-59).

One of ordinary skill in the art would have been motivated to include optimally filling the available display screen surface with the method of McComb for the benefit of providing an adaptable windowing system that can efficiently display information.

Additionally, it would have been obvious for one of ordinary skill in the art at the time of invention to include Hochstedler's disclosure of contents of an object contain static information as well as dynamically variable information with the method of McComb because McComb discloses the display processing data from application programs for presenting information in windows using text and graphics (col. 2, ll. 25-35), where text and graphics are exemplary of static and dynamic information.

Additionally, it would have been obvious to one of ordinary skill in the art to include Hochstedler's temporarily enlarging objects in dependence on a given trigger signal which is produced by a control element which is defined by object selection/object

Art Unit: 2628

marking with the method of McComb because McComb discloses a user input device for communicating information to the display device, and enabling user adjustment of magnification settings, where settings are known to be received via an input device, such that the combination of known elements yields predictable results.

One of ordinary in the art would have been motivated to include Hochstedler's disclosure of contents of an object contain static information as well as dynamically variable information with the method of McComb for the benefit of displaying information relative to various types of applications. Additionally, one of ordinary skill in the art would have been motivated to include Hochstedler's temporarily enlarging objects in dependence on a given trigger signal which is produced by a control element which is defined by object selection/object marking with the method of McComb for the benefit of improving user interaction with display objects.

As per dependent claim 9, McComb discloses wherein respective rectangular surfaces are provided for the display of the objects on the display screen (col. 10, ll. 55-61).

As per independent claim 20, McComb discloses a device (Fig. 1; col. 4, ll. 22-26) for implementing the method of claim 7, wherein the trigger signal is generated by touching the selected object with a cursor (col. 4, ll. 53-57; col. 5, ll. 2-10), which Hochstedler also discloses (i.e. pointing device for designating an object) (col. 1, ll. 12-15; Fig. 2 "42").

Therefore the rationale as applied in the rejection of claim 7 applies herein.

Art Unit: 2628

McComb fails to disclose an input means (i.e. controls) which co-operates with medical measuring devices which form the statistic and dynamic information of the objects, which Hochstedler discloses (col. 1, ll. 15-35; col. 3, ll. 55-57).

It would have been obvious to one of ordinary skill in the art at the time of invention to include Hochstedler's input means (i.e. controls) which co-operates with medical measuring devices which form the statistic and dynamic information of the objects with the method of McComb because McComb discloses interacting with applications via controls in a GUI (col. 2, ll. 30-37, 60-67), where the applications interact with an operating system of a computing device (col. 3, ll. 1-6).

One of ordinary in the art would have been motivated to include Hochstedler's input means (i.e. controls) which co-operates with medical measuring devices which form the statistic and dynamic information of the objects with the method of McComb for the benefit of controlling the display of application specific information received from a device.

Regarding claim 21, McComb discloses a briefly enlarged object (col. 4, ll. 53-57; col. 5, ll. 2-10)

McComb fails to disclose wherein the briefly enlarged object contains patient monitoring information, which Hochstedler discloses (col. 1, ll. 10-15; col. 3, ll. 20-25).

It would have been obvious to one of ordinary skill in the art to include Hochstedler's briefly enlarged object containing patient monitoring information with the method of McComb because McComb teaches interacting with applications via controls

Art Unit: 2628

in a GUI (col. 2, ll. 30-37, 60-67), where the applications interact with an operating system of a computing device (col. 3, ll. 1-6), where a computing device is known to display information from a source such as an application or device.

One of ordinary skill in the art would have been motivated to include Hochstedler's briefly enlarged object containing patient monitoring information with the method of McComb for the benefit of improving visualization of user selected data.

4. Claim 19 is rejected under 35 U.S.C. 103(a) as being unpatentable over McComb as applied to claim 7 above, and further in view of Hochstedler, US 6,707,476, 2004 and Troy Ellis et al, US 2003/0210281, 2003.

As per dependent claim 19, McComb discloses wherein the trigger signal is produced by a cursor touching one of the objects, such that one of the objects is temporarily enlarged when it is being touched by the cursor (col. 4, ll. 53-57; col. 5, ll. 2-10) as does Hochstedler (col. 1, ll. 12-15; Fig. 2 "42"; col. 3, ll. 60-65).

McComb and Hochstedler fail to disclose returning the object to its original size when the cursor no longer touches the one of the objects, which Ellis discloses (i.e. in a system for displaying thumbnail images having reduced content, enlarging and reducing display size of the selected image based on respective cursor positioning on and off the object) (Para 55).

It would have been obvious to one of ordinary skill in the art at the time of invention to include Ellis' returning the object to its original size when the cursor no longer touches

Art Unit: 2628

the one of the objects with the method of McComb in view of Hochstedler because each discloses display of graphic information within containers displayed together on a display interface that receives input signals via an input device, e.g. mouse, to enable user control of the graphic objects, e.g. containers, within the interface, such that the combination of known elements yields predictable results.

One of ordinary skill in the art would have been motivated to include Ellis' returning the object to its original size when the cursor no longer touches the one of the objects with the method of McComb in view of Hochstedler for the advantage of providing increased user manipulation and display of graphic objects displayed with reduced content.

5. Claim 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over R. Hochstedler, US 6,707,476, 2004.

As per dependent claim 23, Hochstedler discloses moving the cursor on the display screen using a user input device (col. 3, ll. 55-65); in response to touching an object with the cursor, temporarily enlarging the touched object (col. 1, ll. 12-15; Fig. 2 "42"; col. 3, ll. 60-65).

Hochstedler does not specifically disclose generating a cursor on the display screen.



Art Unit: 2628

It would have been obvious to one of ordinary skill in the art to include generating a cursor on the display screen with the method of Hochstedler because Hochstedler discloses selecting control elements using mechanisms such as a pointing device, e.g. mouse. Official Notice is given that pointing device movement is well known to be echoed on the screen by movements of a cursor.

***Response to Arguments***

6. Applicant's arguments filed 11/11/08 have been fully considered but they are not persuasive.

Regarding claims 2, 4, and 12, the claim language does not comply with the requirements of 35 USC 112 first paragraph. Thus, Applicants arguments fail to overcome the 35 USC 112 rejection.

Regarding claim 3, Applicant argues the cited portion of McComb does not disclose optimal filling of the display screen surface.

In response, McComb discloses evaluating the contents of each contained object (col. 10, ll. 13-20, 35-40), such that in determining layout of the containers for display on the display screen, each object is evaluated to see if it fills the current display line. Based on the evaluation the layout calculation adjusts the position and scale of the contained objects to fill the available display screen area (col. 11, ll. 55-65). Thus, McComb discloses optimal filling of the display screen surface.

Regarding claim 4, Applicant argues Hochstedler does not display on a single screen objects corresponding to more than one patient nor resizing the object of one of the patients relative to the other.

In response Hochstedler discloses displaying information corresponding to more than one patient (col. 1, ll. 10-15; col. 3, ll. 20-25). In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., resizing the object of one of the patients relative to the other) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Regarding claim 22, Applicant argues Hochstedler fails to disclose substituting another object and repositioning and rescaling the displayed objects.

In response, Hochstedler discloses the user is able to pre-program ways in which the system responds to a change in the capabilities or the environment (col. 5, ll. 23-30). Hochstedler discloses two types of changes that may occur in the system. The first type relates to a change in the system capabilities (i.e. a modification of the layout) (col. 5, ll. 25-30) and the second type relates to a change in the environment (col. 5, ll. 30-35). Hochstedler discloses the second type of change is modified according to user specific desires (col. 5, ll. 35-37). Thus, a system change of the first type is not affected by user desires, however how the system responds to the change is affected by the user. Hochstedler discloses the user may specify that the system respond automatically to a change by automatically switching a layout (i.e. Option 2) (col. 5, ll.

Art Unit: 2628

41-43). Therefore, Hochstedler discloses substituting another object and repositioning and rescaling the displayed objects as he teaches automatically switching to another layout.

Regarding claim 23, Applicant argues Hochstedler makes no suggestion of temporary enlargement of an object without overlapping in response to being touched by a cursor.

In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., temporary enlargement of an object without overlapping in response to being touched by a cursor) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

7. Regarding claims 7 and 20, Applicant's arguments have been considered but are moot in view of the new ground(s) of rejection.

***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chante Harrison whose telephone number is 571-272-7659. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kee Tung can be reached on 571-272-7794. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Chante Harrison/

Examiner, Art Unit 2628